

CONTRACTOR	
PROJECT	DATE
PREPARED BY	MODEL: VCOSWDJ15-WH

SERIES SPECIFICATIONS

Passive Infrared Wall Mount Occupancy Sensor,

Decorator Series, No Neutral Required, 15A 120V, Single Pole

- Automatic off after time delay expires with manual "off" option
- Adjustable time delay off setting from 15 seconds to 30 minutes
- Adjustable sensitivity settings
- Built-in photocell increases energy savings
- Decorator Wallplate Included













LINE DRAWING









CONSTRUCTION

Finish White

Mounting Wall

Sensor TechnologyPassive Infrared

ELECTRICAL SPECIFICATIONS

Input Voltage

120/277VAC

Incandescent

800W - 120VAC, 60Hz

Motor

1/4 HP - 120VAC, 60Hz

Adjustable Off Time Delay

15 Sec. - 30 Min.

Fluorescent

800VA - 120 VAC, 60Hz 1600VAC - 277VAC, 60Hz

Operating Temp

32°F ~ 131°F (0°C ~ 55°C)

OCC/VAC Side Button

Manual/Auto

Light Level

30 Lux - Daylight

LED

100W

Coverage

180°, 1200Ft.²

Neutral Required

No


APPLICATION AND PERFORMANCE SPECIFICATION INFORMATION IS SUBJECT TO CHANGE WITHOUT NOTIFICATION






CONTRACTOR	
PROJECT	DATE
PREPARED BY	MODEL: VCOSWDJ15-WH

COVERAGE PATTERN





Typical Appliances: Offices, Copy Rooms, Storage Closets, Small Conference Rooms, Small Restrooms, Maintenance Closets, Break Rooms

CERTIFICATIONS/WARRANTY

Listing

c-UL-us Listed

Warranty

Guaranteed for two years from the purchase date of the product, against mechanical defects in manufacturing.

ORDERING INFORMATION

Part Number: VCOSWDJ15-WH

Box Qty: 10 **Weight (Lbs):** 0.350

Carton Qty. : 40 **IMS Code :** 0280-0245





CONTRACTOR	
PROJECT	DATE
PREPARED BY	MODEL: VCOSWDJ15-WH

ORDERING INFORMATION

